



Regius Ceramics

An Italian Living

200x1200mm





SIZE SPACE & TEXTURE_

TECHNICAL SPECIFICATION













COMPLETE AND PERFECT TILING SOLUTION

We offer integrated solutions for flooring and wall cladding, technical applications, ventilated facades, raised floors, tactile floors and outdoor surfaces. A complete and wide ranging offer, supported by large collections with a wide range of colours and surfaces to design any type of commercial and residential space.

APPLICATION AREA



BEDROOM



BATHROOM



RECEPTION



LIVING ROOM



HOSPITAL



OFFICES



HOTEL



BANK







AFRICAN BLACK WOOD


SIZE: 200x1200MM


FINISH: MATT

GLAZED VITRIFIED TILES













AFRICAN BLACK WOOD







AMERICAN ELM WOOD


SIZE: 200x1200MM


FINISH: MATT

GLAZED VITRIFIED TILES













AMERICAN ELM WOOD









ANTIQUE WOOD BROWN









ANTIQUE WOOD GOLD









ANTIQUE WOOD OLIVE







ANTIQUE WOOD PIMLICO


SIZE : **200x1200MM**


FINISH: MATT

GLAZED VITRIFIED TILES













ANTIQUE WOOD PIMLICO







ARJUN WOOD BROWN


SIZE: 200x1200MM


FINISH: MATT

GLAZED VITRIFIED TILES













ARJUN WOOD BROWN










ART WOOD BROWN









ART WOOD GOLD









ART WOOD OLIVE









BAKU BLACK









BAKU GOLD









BAKU NATURAL









BAKU OLIVE


















BAKU WOOD GREY









BAKU WOOD WHITE






BARK WOOD BROWN


SIZE: 200x1200MM


FINISH: MATT

GLAZED VITRIFIED TILES













BARK WOOD BROWN







BEIGE BRICH WOOD

SIZE: 200x1200MM


FINISH: MATT

GLAZED VITRIFIED TILES














BEIGE BRICH WOOD

















BOSCO NATURAL










BOSCO ALMOND









BOSCO BROWN






BROWN BRICH WOOD


SIZE : **200x1200MM**


FINISH: MATT

GLAZED VITRIFIED TILES













BROWN BRICH WOOD







COCO WOOD


SIZE: 200x1200MM


FINISH: MATT

GLAZED VITRIFIED TILES













COCO WOOD







COFFIE BROWN


SIZE : **200x1200MM**


FINISH: MATT

GLAZED VITRIFIED TILES














COFFIE BROWN









COINES WOOD BEIGE










COINES WOOD BROWN









COINES WOOD DARK GREY









COINES WOOD WHITE









CORSON HONEY PINE










CORSON WOOD DARK GREY









CORSON WOOD LIGHT GREY

























GALEXY WHITE







GREY BRICH WOOD


SIZE: 200x1200MM

GLAZED VITRIFIED TILES














GREY BRICH WOOD










KALINA ALMOND









KALINA BEIGE









KALINA BROWN










KALINA GREY









KALINA WHITE







KASHMIR COFFEE


SIZE : **200x1200MM**


FINISH: MATT

GLAZED VITRIFIED TILES













KASHMIR COFFEE







KASHMIR NATURAL


SIZE: 200x1200MM


FINISH: MATT

GLAZED VITRIFIED TILES













KASHMIR NATURAL






KASHMIR ORANGE


SIZE: 200x1200MM


FINISH : MATT

GLAZED VITRIFIED TILES














KASHMIR ORANGE







KASHMIR ROSE


SIZE : **200x1200MM**


FINISH: MATT

GLAZED VITRIFIED TILES














KASHMIR ROSE

TECHNICAL SPECIFICATION

CHARACTERISTIC	STANDARD AS PER ISO-13006/En14411 GROUP BIG	OUR VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in length & width	±0.5%	± 0.3%	ISO - 10545-2
Deviation in thickness	± 0.5%	± 4.0%	ISO - 10545-2
Straightness in side	± 0.5%	± 0.1%	ISO - 10545-2
Rectangularity	± 0.5%	± 0.1%	ISO - 10545-2
Surface flatness	± 0.5%	± 0.2%	ISO - 10545-2
Color difference	Uniterned	No change	ISO - 10545-2
Glossiness	As per mfg.	Min 90%	GLOSSO METER
STRUCTURAL PROPERTIES			
Water absorption	< 0.50%	< 0.05%	ISO - 10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES	·		
Modulus of repture	Min. 35 N/mm²	Min. 40 N/mm²	ISO - 10545-4
breaking strength	Min. 1300 N	Min. 1800 N	ISO - 10545-4
Impact resistance	As per mfg.	Min. 0.55	ISO - 10545-5
SURFACE MECHANICAL PROPERTIES	·		
Resistance to surface abrasion (PEI Rating)	As per mfg.	Class 4	ISO - 10545-7
MOH's harfness	As per mfg.	Min 5	EN 101
THERMO HYGROMRTRIC PROPERTIES	•		
Frost resistance	No damage	No damage	ISO - 10545-12
Thermal shock resistance	No damage	No damage	ISO - 10545-9
Moisture expansion	Nil	Nil	ISO - 10545-10
Thermal expansion (COE)	Max. 9.0x10°	Max. 6.5x10°	ISO - 10545-8
Crazing resistance	As per mfg.	Min 10 Cycle	ISO - 10545-11
CHEMICAL PROPERTIES	·		
Chemical resistance	No damage	No damage	ISO - 10545-13
Stain resistance	Min. Class 3	Class 5	ISO - 10545-14
SEFETY PROPERTIES			
Slip resistance	As per mfg.	> 0.40	ISO - 10545-17
Fire resistance	As per mfg.	Fireproof	N.A.
Lead & Cafmium given off by glazes tiles	As per mfg.	Does not yield Pb & Cd	ISO - 10545-15

